

Vacuum block

VCBL-B 125x75x29 TV

Part no.: 10.01.12.03166

<https://www.schmalz.co.jp/10.01.12.03166>

Home > Vacuum Clamping Technology > Clamping Equipment for Woodworking > Clamping Equipment for Systems from Biesse > Vacuum Blocks VCBL-B > VCBL-B 125x75x29 TV

Vacuum block




Dimensions (LxB): 125 x 75

Height H: 29 mm

Add. function: Sensing valve

Design Data



Attribute	Value
B	75 mm
H	29 mm
H2	19 mm
L	125 mm
L1	146 mm

Technical Data

Attribute	Value
Weight	0.36 kg

Biesse is a registered and protected trademark. The articles listed here are products of J. Schmalz GmbH that have been designed to fit CNC machining centers from Biesse.

Accessories

Contact Schmalz

Schmalz K.K. | 3001-7 Odana-cho, Tsuzuki-ku, 224-0027 Yokohama, Japan | +81 45 565 5150 | schmalz@schmalz.co.jp

Vacuum block

VCBL-B 125x75x29 TV

Part no.: 10.01.12.03166

<https://www.schmalz.co.jp/10.01.12.03166>



SCHE 90/17x0.4 ST VCBL-B

Part no.: 10.01.12.03188

External diameter D: 90 mm

Internal diameter d: 17 mm

Height H: 0.4 mm

Length L: 0.4 mm

Material: Steel

Construction use: Vacuum block VCBL-S



VCSP-O 125x75x17.7 MOS TPE

Part no.: 10.01.12.03511

Construction use: Vacuum block

Length L: 125 mm

Width B: 75 mm

Height H: 17.7 mm

Add. function: Sealing lip with MOS

Spare parts



ADP-RING-100.5x15.5-VCBL-B

Part no.: 10.01.12.03345

External diameter D: 100.5 mm

Height H: 15.5 mm

Construction use: Vacuum block VCBL-S

Contact Schmalz

Schmalz K.K. | 3001-7 Odana-cho, Tsuzuki-ku, 224-0027 Yokohama, Japan | +81 45 565 5150 | schmalz@schmalz.co.jp

Vacuum block

VCBL-B 125x75x29 TV

Part no.: 10.01.12.03166

<https://www.schmalz.co.jp/10.01.12.03166>



TV D9 4.3

Part no.: 10.01.12.02514

External diameter D: 9 mm

Spring stroke Z: 4.3 mm

Length L: 22.8 mm



VCSP-O 125x75x16.5 TPE

Part no.: 10.01.12.00011

Length L: 125 mm

Width B: 75 mm

Height H: 16.5 mm



ERS VCTV

Part no.: 10.01.12.01651

Construction use: Sensing valve vacuum block

Contact Schmalz

Schmalz K.K. | 3001-7 Odana-cho, Tsuzuki-ku, 224-0027 Yokohama, Japan | +81 45 565 5150 | schmalz@schmalz.co.jp