

Cross-beam connection

HTR-ST5 60x60 D30 WI

Part no.: 10.08.03.00092

<https://www.schmalz.co.jp/10.08.03.00092>

Home > Vacuum Technology for Automation > Vacuum Components > Mounting Elements > Holders for Suction Cups and Spring Plungers > Holders for Square Tubes HTR-ST5 > HTR-ST5 60x60 D30 WI

Holder for flexible mounting of suction cups/spring plungers on square tubes




Connection 1: 60x60

Connection of suction cup, spring plunger: Contour D30-G1/2

Shape: angled

Données de construction



Attribut	Valeur
B	53 mm
d	31 mm
H	60 mm
H1	115 mm
L	134 mm
L1	32 mm
s	7 mm

Données techniques

Attribut	Valeur
Weight	533 g
Product family	HTR-ST5

Accessoires

Contact Schmalz

Schmalz K.K. | 3001-7 Odana-cho, Tsuzuki-ku, 224-0027 Yokohama, Japan | +81 45 565 5150 | schmalz@schmalz.co.jp

Cross-beam connection

HTR-ST5 60x60 D30 WI

Part no.: 10.08.03.00092

<https://www.schmalz.co.jp/10.08.03.00092>



SCHE 35-16.5x5 ST VZ

Réf. article.: 10.01.01.10025

External diameter D: 35 mm

Internal diameter d: 16.5 mm

Length L1: 5 mm

Material: Steel

Surface: galvanised



SCHE 38-18.5x5 ST VZ

Réf. article.: 10.01.03.06140

External diameter D: 38 mm

Internal diameter d: 18.5 mm

Length L1: 5 mm

Material: Steel

Surface: galvanised



SCHE 38-21.5x5 ST VZ

Réf. article.: 10.01.01.10015

External diameter D: 38 mm

Internal diameter d: 21.5 mm

Length L1: 5 mm

Material: Steel

Surface: galvanised

Contact Schmalz

Schmalz K.K. | 3001-7 Odana-cho, Tsuzuki-ku, 224-0027 Yokohama, Japan | +81 45 565 5150 | schmalz@schmalz.co.jp

Cross-beam connection

HTR-ST5 60x60 D30 WI

Part no.: 10.08.03.00092

<https://www.schmalz.co.jp/10.08.03.00092>



SCHE 7090 M30 ST-HV VZ

Réf. article.: 20.06.01.00044

External diameter D: 56 mm

Internal diameter d: 31 mm

Material: Steel

Surface: galvanised

Contact Schmalz

Schmalz K.K. | 3001-7 Odana-cho, Tsuzuki-ku, 224-0027 Yokohama, Japan | +81 45 565 5150 | schmalz@schmalz.co.jp