

## Vacuum pump

EVE-TR-X 40 AC3 IE3-TYP2 F-VB

Part no.: 10.03.01.00356

<https://www.schmalz.co.jp/10.03.01.00356>


Home > Vacuum Technology for Automation > Vacuum Components > Vacuum Generators > Vacuum Pumps > Dry-Running Vacuum Pumps EVE-TR X > EVE-TR-X 40 AC3 IE3-TYP2 F-VB

**Oil-free pump with const. suct. rate robust, requ. little maintenance long service life, cont. operation**



|                                                 |
|-------------------------------------------------|
| Current type: three-phase current               |
| Voltage at 60Hz: YY230/Y460V $\pm 10\%$         |
| Voltage at 60 Hz opt: D208V $\pm 10\%$ (o. IE3) |
| Suction rate (60 Hz): 48 m <sup>3</sup> /h      |
| Vacuum (60 Hz): -900 mbar                       |
| Construction: IE3:US/CAN                        |
| Rated power 60 Hz: 1.3 kW                       |
| Permission: UL/CSA                              |
| Weight: 41.5 kg                                 |
| Permission: UL/CSA                              |

## Design Data



| Attribute | Value     |
|-----------|-----------|
| B         | 270 mm    |
| B2        | 50 mm     |
| d         | 7 mm      |
| G2        | G1-1/4"-F |
| G3        | G3/4"-F   |
| H         | 293 mm    |
| H1        | 421 mm    |
| H2        | 70 mm     |
| L         | 572 mm    |
| L2        | 131 mm    |
| X1        | 220 mm    |
| Y1        | 190 mm    |

## Technical Data

| Attribute            | Value                  |
|----------------------|------------------------|
| Suction rate (60 Hz) | 48 m <sup>3</sup> /h   |
| Voltage at 60Hz      | YY230/Y460V $\pm 10\%$ |
| Rated power 60 Hz    | 1.30 kW                |
| Weight               | 41.50 kg               |
| Protection type IP   | IP 55                  |

## Contact Schmalz

Schmalz K.K. | 3001-7 Odana-cho, Tsuzuki-ku, 224-0027 Yokohama, Japan | +81 45 565 5150 | [schmalz@schmalz.co.jp](mailto:schmalz@schmalz.co.jp)

## Vacuum pump

EVE-TR-X 40 AC3 IE3-TYP2 F-VB

Part no. : 10.03.01.00356

<https://www.schmalz.co.jp/10.03.01.00356>

Current type

AC3

Product family

EVE-TR-X

Noise level according to DIN EN ISO 3744 (uncertainty factor KpA = 3 dB(A)), interval of 1 m, at medium load, both connection sides piped

## Spare parts



### VST EVE-TR-X-40

Part no. : 10.03.01.00226

Construction use: Pump EVE-TR-X

Size: 40

contains: Brush slide/Filter



### FILT-EINS EVE-TR-X-25/40

Part no. : 10.03.01.00230

Construction use: Pump EVE-TR-X

Size: 25/40

## Contact Schmalz

Schmalz K.K. | 3001-7 Odana-cho, Tsuzuki-ku, 224-0027 Yokohama, Japan | +81 45 565 5150 | [schmalz@schmalz.co.jp](mailto:schmalz@schmalz.co.jp)

## Vacuum pump

EVE-TR-X 40 AC3 IE3-TYP2 F-VB

Part no. : 10.03.01.00356

<https://www.schmalz.co.jp/10.03.01.00356>



### VST EVE-TR-X-40

Part no. : 10.03.01.00226

Construction use: Pump EVE-TR-X

Size: 40

contains: Brush slide/Filter

## Contact Schmalz

Schmalz K.K. | 3001-7 Odana-cho, Tsuzuki-ku, 224-0027 Yokohama, Japan | +81 45 565 5150 | [schmalz@schmalz.co.jp](mailto:schmalz@schmalz.co.jp)