

## Vacuum pump

EVE-OG 63 AC3 F

Part no.: 10.03.02.00032

<https://www.schmalz.co.jp/10.03.02.00032>

Home > Vacuum Technology for Automation > Vacuum Components > Vacuum Generators > Vacuum Pumps > Oil-Lubricated Vacuum Pumps EVE-OG > EVE-OG 63 AC3 F

### Oil-lubricated pump for maximum vacuum levels, requires little maintenance



Current type: three-phase current

Sound level at 50 Hz: 65 dB(A)

with: Filter


Suction rate (50 Hz): 63 m<sup>3</sup>/h

Rated power 50 Hz: 1.5 kW

Voltage at 50Hz: 200-240V or 345-420V

Weight: 52 kg

### Design Data



| Attribute | Value     |
|-----------|-----------|
| B         | 406 mm    |
| B2        | 15 mm     |
| G2        | G1-1/4"-F |
| G3        | G1-1/4"-F |
| G5        | M8-F      |
| H         | 280 mm    |
| H1        | 417 mm    |
| H2        | 75 mm     |
| L         | 614 mm    |
| L2        | 137 mm    |
| X1        | 199 mm    |
| Y1        | 277 mm    |

### Technical Data

| Attribute            | Value                |
|----------------------|----------------------|
| Max. vacuum          | -980 mbar            |
| Max. vacuum          | -28.94 inHg          |
| Suction rate (50 Hz) | 63 m <sup>3</sup> /h |
| Voltage at 50Hz      | 200-240V or 345-420V |
| Rated power 50 Hz    | 1.50 kW              |
| Sound level at 50 Hz | 65 dB(A)             |

### Contact Schmalz

Schmalz K.K. | 3001-7 Odana-cho, Tsuzuki-ku, 224-0027 Yokohama, Japan | +81 45 565 5150 | [schmalz@schmalz.co.jp](mailto:schmalz@schmalz.co.jp)

## Vacuum pump

EVE-OG 63 AC3 F

Part no.: 10.03.02.00032

<https://www.schmalz.co.jp/10.03.02.00032>

|                    |        |
|--------------------|--------|
| Weight             | 52 kg  |
| Protection type IP | IP 54  |
| Current type       | AC3    |
| Product family     | EVE-OG |

## Accessories



### DRM 40 P1 H

Part no.: 10.07.02.00050

External diameter D: 40 mm

Measuring range: 0,0 ... 1,0 bar

Construction shape manometers: Connection at rear

Thread G1: G3/4"-M



### MSS-K 4-6.3A

Part no.: 10.04.04.00121

Construction use: PKZM0

Protection type IP: IP 65

Measuring range: bar

## Contact Schmalz

Schmalz K.K. | 3001-7 Odana-cho, Tsuzuki-ku, 224-0027 Yokohama, Japan | +81 45 565 5150 | [schmalz@schmalz.co.jp](mailto:schmalz@schmalz.co.jp)

## Vacuum pump

EVE-OG 63 AC3 F

Part no.: 10.03.02.00032

<https://www.schmalz.co.jp/10.03.02.00032>



OEL EVE-OG 1L ANDEROL 555

Part no.: 27.02.01.00055

Construction use: Pump EVE-OG



ZUB EVE-OG Öl-lablass-Kit

Part no.: 22.09.03.00038

Construction use: Pump EVE-OG

## Spare parts



FILT-EINS 3 98x70 PAP STF-1-1/4-IGN

Part no.: 10.07.01.00018

Filter pore size: 3 µm

External diameter D: 98 mm

Length L: 70 mm

Filter material: Paper

Construction use: Dust filter STF

Size: 1-1/4-IGN

## Contact Schmalz

Schmalz K.K. | 3001-7 Odana-cho, Tsuzuki-ku, 224-0027 Yokohama, Japan | +81 45 565 5150 | [schmalz@schmalz.co.jp](mailto:schmalz@schmalz.co.jp)

## Vacuum pump

EVE-OG 63 AC3 F

Part no. : 10.03.02.00032

<https://www.schmalz.co.jp/10.03.02.00032>



VST EVE-OG-63-100

Part no. : 10.03.02.00055

Construction use: Pump EVE-OG

Size: 63-100

### Contact Schmalz

Schmalz K.K. | 3001-7 Odana-cho, Tsuzuki-ku, 224-0027 Yokohama, Japan | +81 45 565 5150 | [schmalz@schmalz.co.jp](mailto:schmalz@schmalz.co.jp)