

Vacuum pump

EVE-OG 165 AC3

Part no.: 10.03.02.00048

<https://www.schmalz.co.jp/10.03.02.00048>

Home > Vacuum Technology for Automation > Vacuum Components > Vacuum Generators > Vacuum Pumps > Oil-Lubricated Vacuum Pumps EVE-OG > EVE-OG 165 AC3

Oil-lubricated pump for maximum vacuum levels, requires little maintenance



Current type: three-phase current

Sound level at 50 Hz: 70 dB(A)


Suction rate (50 Hz): 165 m³/h

Rated power 50 Hz: 4 kW

Voltage at 50Hz: 230/400V AC3

Weight: 160 kg

Design Data



Attribute	Value
B	542 mm
B2	94 mm
G3	G2"-F
G5	M10-F
H	418 mm
L	890 mm
L2	253 mm
X1	243 mm
X2	430 mm
X3	40 mm
Y1	305 mm

Technical Data

Attribute	Value
Max. vacuum	-980 mbar
Max. vacuum	-28.94 inHg
Suction rate (50 Hz)	165 m ³ /h
Voltage at 50Hz	230/400V AC3
Rated power 50 Hz	4 kW
Sound level at 50 Hz	70 dB(A)

Contact Schmalz

Schmalz K.K. | 3001-7 Odana-cho, Tsuzuki-ku, 224-0027 Yokohama, Japan | +81 45 565 5150 | schmalz@schmalz.co.jp

Vacuum pump

EVE-OG 165 AC3

Part no.: 10.03.02.00048

<https://www.schmalz.co.jp/10.03.02.00048>

Weight	160 kg
Protection type IP	IP 55
Current type	AC3
Product family	EVE-OG

Accessories



DRM 40 P1 H

Part no.: 10.07.02.00051

External diameter D: 40 mm

Measuring range: 0,0 ... 1,0 bar

Construction shape manometers: Connection at rear

Thread G1: G1"-M



MSS-K 8-12A

Part no.: 10.04.04.00123

Construction use: PKZM0

Protection type IP: IP 65

Measuring range: bar

Contact Schmalz

Schmalz K.K. | 3001-7 Odana-cho, Tsuzuki-ku, 224-0027 Yokohama, Japan | +81 45 565 5150 | schmalz@schmalz.co.jp

Vacuum pump

EVE-OG 165 AC3

Part no.: 10.03.02.00048

<https://www.schmalz.co.jp/10.03.02.00048>



VOL 200

Part no.: 10.03.03.00128

Reservoirs volume: 200 l

Height H: 434 mm

Add. function: Manometer, valve, filter



ZUB EVE-OG Ölabblass-Kit

Part no.: 22.09.03.00038

Construction use: Pump EVE-OG

Spare parts



FILT-EINS 3 150x222 PAP STF-2-1/2-IG

Part no.: 10.07.01.00020

Filter pore size: 3 µm

External diameter D: 150 mm

Length L: 222 mm

Filter material: Paper

Construction use: Dust filter STF

Size: 2-1/2-IG

Contact Schmalz

Schmalz K.K. | 3001-7 Odana-cho, Tsuzuki-ku, 224-0027 Yokohama, Japan | +81 45 565 5150 | schmalz@schmalz.co.jp

Vacuum pump

EVE-OG 165 AC3

Part no. : 10.03.02.00048

<https://www.schmalz.co.jp/10.03.02.00048>



OEL EVE-OG 5L ANDEROL 555

Part no. : 27.02.01.00056

Construction use: Pump EVE-OG



VST EVE-OG-165-255

Part no. : 10.03.02.00057

Construction use: Pump EVE-OG

Size: 165-255

Contact Schmalz

Schmalz K.K. | 3001-7 Odana-cho, Tsuzuki-ku, 224-0027 Yokohama, Japan | +81 45 565 5150 | schmalz@schmalz.co.jp