

Vacuum pump

EVE-OG 255 AC3 F

Part no.: 10.03.02.00052

<https://www.schmalz.co.jp/10.03.02.00052>

Home > Vacuum Technology for Automation > Vacuum Components > Vacuum Generators > Vacuum Pumps > Oil-Lubricated Vacuum Pumps EVE-OG > EVE-OG 255 AC3 F

Oil-lubricated pump for maximum vacuum levels, requires little maintenance



Current type: three-phase current

Sound level at 50 Hz: 72 dB(A)


with: Filter

Suction rate (50 Hz): 255 m³/h

Rated power 50 Hz: 5.5 kW

Weight: 199.8 kg

Design Data



Attribute	Value
B	554 mm
B2	54 mm
G2	G2-1/2-F
G3	G2-F
G5	M10-F
H	410 mm
H1	680 mm
H2	240 mm
L	1056 mm
L2	293 mm
X1	303 mm
X2	390 mm
Y1	350 mm

Technical Data

Attribute	Value
Max. vacuum	-980 mbar
Max. vacuum	-28.94 inHg
Suction rate (50 Hz)	255 m³/h
Rated power 50 Hz	5.50 kW

Contact Schmalz

Schmalz K.K. | 3001-7 Odana-cho, Tsuzuki-ku, 224-0027 Yokohama, Japan | +81 45 565 5150 | schmalz@schmalz.co.jp

Vacuum pump

EVE-OG 255 AC3 F

Part no. : 10.03.02.00052

<https://www.schmalz.co.jp/10.03.02.00052>

Sound level at 50 Hz	72 dB(A)
Weight	199.80 kg
Protection type IP	IP 54
Current type	AC3
Product family	EVE-OG

Accessories



DRM 40 P1 H

Part no. : 10.07.02.00051

External diameter D: 40 mm

Measuring range: 0,0 ... 1,0 bar

Construction shape manometers: Connection at rear

Thread G1: G1"-M



MSS-K 10-16A

Part no. : 10.04.04.00124

Construction use: PKZM0

Protection type IP: IP 65

Measuring range: bar

Contact Schmalz

Schmalz K.K. | 3001-7 Odana-cho, Tsuzuki-ku, 224-0027 Yokohama, Japan | +81 45 565 5150 | schmalz@schmalz.co.jp

Vacuum pump

EVE-OG 255 AC3 F

Part no. : 10.03.02.00052

<https://www.schmalz.co.jp/10.03.02.00052>



OEL EVE-OG 1L ANDEROL 555

Part no. : 27.02.01.00055

Construction use: Pump EVE-OG



OEL EVE-OG 5L ANDEROL 555

Part no. : 27.02.01.00056

Construction use: Pump EVE-OG



ZUB EVE-OG Öl-Ablass-Kit

Part no. : 22.09.03.00038

Construction use: Pump EVE-OG

Spare parts

Contact Schmalz

Schmalz K.K. | 3001-7 Odana-cho, Tsuzuki-ku, 224-0027 Yokohama, Japan | +81 45 565 5150 | schmalz@schmalz.co.jp

Vacuum pump

EVE-OG 255 AC3 F

Part no.: 10.03.02.00052

<https://www.schmalz.co.jp/10.03.02.00052>



FILT-EINS 3 150x222 PAP STF-2-1/2-IG

Part no.: 10.07.01.00020

Filter pore size: 3 µm

External diameter D: 150 mm

Length L: 222 mm

Filter material: Paper

Construction use: Dust filter STF

Size: 2-1/2-IG



VST EVE-OG-165-255

Part no.: 10.03.02.00057

Construction use: Pump EVE-OG

Size: 165-255

Contact Schmalz

Schmalz K.K. | 3001-7 Odana-cho, Tsuzuki-ku, 224-0027 Yokohama, Japan | +81 45 565 5150 | schmalz@schmalz.co.jp