

Flat suction cup (oval)

SGON 60x20 NBR-55 G1/4-AG

Part no.: 10.01.05.00096

<https://www.schmalz.co.jp/10.01.05.00096>

Home > Vacuum Technology for Automation > Vacuum Components > Vacuum Suction Cups > Flat Suction Cups (Oval) > Flat Suction Cups SGON > SGON 60x20 NBR-55 G1/4-AG

Flat suction cup (oval) for long and also curved workpieces



Dimensions (LxB): 60 x 20


Suction cup material: Nitrile rubber NBR

Material hardness [Shore A]: 55 Shore A

Nipple material: Aluminum

Connection: G1/4"-M

Design Data



Attribute	Value
Bmax (S)	22 mm
Bs	19 mm
dn	3.50 mm
G1	G1/4"-M
H	26 mm
LG1	10 mm
Lmax (S)	61 mm
Ls	59 mm
SW1	17 mm
Z (Stroke)	2.50 mm

Note: Acceptable dimensional tolerances for rubber parts concerning to DIN ISO 3302-1 M3.

Technical Data

Attribute	Value
Suction force (-600mbar)	50.10 N
Volume	3.61 cm ³
Curve radius (min) (convex)	20 mm
Hose diameter (rec.) d	6 mm
Dimensions (LxB)	60 x 20
Number of folds	0
Suction cup material	Nitrile rubber NBR

Contact Schmalz

Schmalz K.K. | 3001-7 Odana-cho, Tsuzuki-ku, 224-0027 Yokohama, Japan | +81 45 565 5150 | schmalz@schmalz.co.jp

Flat suction cup (oval)

SGON 60x20 NBR-55 G1/4-AG

Part no.: 10.01.05.00096

<https://www.schmalz.co.jp/10.01.05.00096>

Material hardness [Shore A]	55 Shore A
Weight	19 g
Product family	SGON

Note: Suction force: The specified suction forces are theoretical values at a vacuum of -0.6 bar and with a smooth, dry workpiece surface – they do not include a safety factor Hose diameter: The recommended hose diameter refers to a hose length of approx. 2 m

Spare parts



SA-NIP N023 G1/4-AG DN350

Part no.: 10.01.05.00122

Thread G1: G1/4"-M
Length L1: 25 mm
Fitting length: 5 mm
Nominal diameter dn: 3.5 mm
Material: Aluminum



SA-NIP N023 G1/4-IG DN350

Part no.: 10.01.05.00121

Thread G1: G1/4"-F
Length L1: 25 mm
Fitting length: 15 mm
Nominal diameter dn: 3.5 mm
Material: Aluminum

Contact Schmalz

Schmalz K.K. | 3001-7 Odana-cho, Tsuzuki-ku, 224-0027 Yokohama, Japan | +81 45 565 5150 | schmalz@schmalz.co.jp

Flat suction cup (oval)

SGON 60x20 NBR-55 G1/4-AG

Part no.: 10.01.05.00096

<https://www.schmalz.co.jp/10.01.05.00096>



ZOKL 15-18

Part no.: 10.07.10.00033

Clamping range: 15.0 ... 18.0 mm

Material: Galvanized steel



SGO 60x20 NBR-55 N023

Part no.: 10.01.05.00154

Dimensions (LxB): 60 x 20

Suction cup material: Nitrile rubber NBR

Material hardness [Shore A]: 55 Shore A



ZOKL 15-18

Part no.: 10.07.10.00033

Clamping range: 15.0 ... 18.0 mm

Material: Galvanized steel

Contact Schmalz

Schmalz K.K. | 3001-7 Odana-cho, Tsuzuki-ku, 224-0027 Yokohama, Japan | +81 45 565 5150 | schmalz@schmalz.co.jp