

Bell suction cup (round)

SAXM 60 ED-85 SC055

Part no.: 10.01.19.00007

<https://www.schmalz.co.jp/10.01.19.00007>

Home > Vacuum Technology for Automation > Vacuum Components > Vacuum Suction Cups > Suction Cups for Handling Sheet Metal > SAXM 60 ED-85 SC055

High-Speed bell shaped suction cup (round) very dynamic handling of smooth and oily workpieces




Size: 60

Suction cup material: Elastodur ED

Material hardness [Shore A]: 85 Shore A

Design Data



Attribute	Value
d	11.80 mm
d1	27.60 mm
Dk	22.20 mm
Dmax (S)	69.70 mm
Ds	61.50 mm
H	28.30 mm
H2	10.50 mm
Z (Stroke)	10.90 mm

Note: Acceptable dimensional tolerances for elastomer parts concerning to DIN ISO 3302-1 M3

Technical Data

Attribute	Value
Suction force (-600mbar)	154 N
Lateral force	85 N
Lateral force (oily surface)	155 N
Volume	27.68 cm ³
Curve radius (min) (convex)	30 mm
Hose diameter (rec.) d	6 mm
Size	60

Contact Schmalz

Schmalz K.K. | 3001-7 Odana-cho, Tsuzuki-ku, 224-0027 Yokohama, Japan | +81 45 565 5150 | schmalz@schmalz.co.jp

Bell suction cup (round)

SAXM 60 ED-85 SC055

Part no.: 10.01.19.00007

<https://www.schmalz.co.jp/10.01.19.00007>

Nipple family	SC 055
Number of folds	0
Suction cup material	Elastodur ED
Material hardness [Shore A]	85 Shore A
Weight	11.10 g
Product family	SAXM

Accessories



SC-A 055 G1/4-AG L

Part no.: 10.01.06.02821

Connection geometry: 055

Thread G1: G1/4"-M

Fitting length: 7.2 mm

Shape: Self Locking



SC-A 055 G1/4-IG L

Part no.: 10.01.06.02742

Connection geometry: 055

Thread G1: G1/4"-F

Fitting length: 17.2 mm

Shape: Self Locking

Contact Schmalz

Schmalz K.K. | 3001-7 Odana-cho, Tsuzuki-ku, 224-0027 Yokohama, Japan | +81 45 565 5150 | schmalz@schmalz.co.jp

Bell suction cup (round)

SAXM 60 ED-85 SC055

Part no.: 10.01.19.00007

<https://www.schmalz.co.jp/10.01.19.00007>



SC-A 055 G3/8-AG L

Part no.: 10.01.06.02809

Connection geometry: 055

Thread G1: G3/8"-M

Fitting length: 7.7 mm

Shape: Self Locking



SC-A 055 G3/8-IG L

Part no.: 10.01.06.02743

Connection geometry: 055

Thread G1: G3/8"-F

Fitting length: 17.2 mm

Shape: Self Locking



SC-A 055 M10-AG L

Part no.: 10.01.06.02822

Connection geometry: 055

Thread G1: M10-M

Fitting length: 7.2 mm

Shape: Self Locking

Contact Schmalz

Schmalz K.K. | 3001-7 Odana-cho, Tsuzuki-ku, 224-0027 Yokohama, Japan | +81 45 565 5150 | schmalz@schmalz.co.jp

Bell suction cup (round)

SAXM 60 ED-85 SC055

Part no.: 10.01.19.00007

<https://www.schmalz.co.jp/10.01.19.00007>



SC-A 055 M14x1.5-AG L

Part no.: 10.01.06.02823

Connection geometry: 055

Thread G1: M14x1.5-M

Fitting length: 7.2 mm

Shape: Self Locking



SC-A 055 RA L

Part no.: 10.01.06.02815

Connection geometry: 055

Fitting length: 9.5 mm

Shape: Self Locking



SC-S 055 FDC-L

Part no.: 10.01.06.02804

Shape: Frict elem with Self lock