

Flat suction cup (round)

SAFT-C 60 NBR-60 M10-AG

Part no.: 10.01.01.11938

<https://www.schmalz.co.jp/10.01.01.11938>

Home > Vacuum Technology for Automation > Vacuum Components > Vacuum Suction Cups > Suction Cups for Handling Sheet Metal > Flat Suction Cups SAFT-C > SAFT-C 60 NBR-60 M10-AG

Flat suction cup (round) for best dynamics on smooth, oily surfaces



Size: 60


Suction cup material: Nitrile rubber NBR

Material hardness [Shore A]: 60 Shore A

Nipple material: Aluminum

Connection: M10-AG

Design Data



Attribute	Value
d	19 mm
dn	4 mm
Dk	40 mm
Dmax (S)	66 mm
Ds	63 mm
G1	M10-M
H	34 mm
H2	2 mm
LG1	11.50 mm
SW1	8 mm
Z (Stroke)	5.30 mm

Technical Data

Attribute	Value
Suction force (-600mbar)	150 N
Lateral force	112 N
Lateral force (oily surface)	95 N
Volume	15 cm ³
Curve radius (min) (convex)	75 mm
Hose diameter (rec.) d	6 mm

Contact Schmalz

Schmalz K.K. | 3001-7 Odana-cho, Tsuzuki-ku, 224-0027 Yokohama, Japan | +81 45 565 5150 | schmalz@schmalz.co.jp

Flat suction cup (round)

SAFT-C 60 NBR-60 M10-AG

Part no. : 10.01.01.11938

<https://www.schmalz.co.jp/10.01.01.11938>

Size	60
Suction cup material	Nitrile rubber NBR
Weight	51.10 g
Number of folds	0
Product family	SAFT-C

Spare parts



SA-NIP N054 M10-AG DN400

Part no. : 10.01.01.11942

Thread G1: M10-M

Material: Aluminum



REIB-SCHE 28x13.5 XNBR-45

Part no. : 10.01.01.11943

External diameter D: 28 mm

Length L: 13.5 mm

Material: Perbunan XNBR

Contact Schmalz

Schmalz K.K. | 3001-7 Odana-cho, Tsuzuki-ku, 224-0027 Yokohama, Japan | +81 45 565 5150 | schmalz@schmalz.co.jp

Flat suction cup (round)

SAFT-C 60 NBR-60 M10-AG

Part no.: 10.01.01.11938

<https://www.schmalz.co.jp/10.01.01.11938>



SAFT 60 NBR-60

Part no.: 10.01.01.11937

Size: 60

Suction cup material: Nitrile rubber NBR

Material hardness [Shore A]: 60 Shore A

Contact Schmalz

Schmalz K.K. | 3001-7 Odana-cho, Tsuzuki-ku, 224-0027 Yokohama, Japan | +81 45 565 5150 | schmalz@schmalz.co.jp