

## Bellows suction cups (round)

SPB4f 40 SI-55 G3/8-AG

Part no.: 10.01.06.03546

<https://www.schmalz.co.jp/10.01.06.03546>

Home > Vacuum Technology for Automation > Vacuum Components > Vacuum Suction Cups > Suction Cups for the Packaging Industry > Bellows Suction Cups SPB4f (4.5 Folds) > SPB4f 40 SI-55 G3/8-AG

### Bellows suction cup (round) for very uneven workpieces



Size: 40


Suction cup material: Silicone SI

Material hardness [Shore A]: 55 Shore A

Thread G1: G3/8"-M

Number of folds: 4.5

### Design Data



| Attribute  | Value    |
|------------|----------|
| d2         | 15.30 mm |
| dn         | 10.30 mm |
| Dmax (S)   | 42 mm    |
| Ds         | 39.70 mm |
| G1         | G3/8"-M  |
| H          | 59.50 mm |
| LG1        | 10 mm    |
| SW1        | 22 mm    |
| Z (Stroke) | 18 mm    |

### Technical Data

| Attribute                  | Value                 |
|----------------------------|-----------------------|
| Suction force at -200 mbar | 6.80 N                |
| Suction force at -400 mbar | 13.60 N               |
| Suction force (-600mbar)   | 20.40 N               |
| Pull-off force             | 23.80 N               |
| Volume                     | 15.12 cm <sup>3</sup> |
| Hose diameter (rec.) d     | 9 mm                  |
| Number of folds            | 4.50                  |
| Suction cup material       | Silicone SI           |

### Contact Schmalz

Schmalz K.K. | 3001-7 Odana-cho, Tsuzuki-ku, 224-0027 Yokohama, Japan | +81 45 565 5150 | [schmalz@schmalz.co.jp](mailto:schmalz@schmalz.co.jp)

## Bellows suction cups (round)

SPB4f 40 SI-55 G3/8-AG

Part no.: 10.01.06.03546

<https://www.schmalz.co.jp/10.01.06.03546>

|                             |            |
|-----------------------------|------------|
| Material hardness [Shore A] | 55 Shore A |
| Weight                      | 26.70 g    |
| Product family              | SPB4f      |

### Accessories



SIEB 17x0.8 MS-A2 103 0.103/0.07

Part no.: 10.07.01.00320

External diameter D: 17 mm

Length L: 0.8 mm

Material: Brass / Stainless steel

Filter pore size: 103 µm



SSB 16-27 ST-VZ

Part no.: 10.07.10.00002

Clamping range: 16.0 ... 27.0 mm

Material: Steel

Surface: galvanised

### Spare parts

#### Contact Schmalz

Schmalz K.K. | 3001-7 Odana-cho, Tsuzuki-ku, 224-0027 Yokohama, Japan | +81 45 565 5150 | [schmalz@schmalz.co.jp](mailto:schmalz@schmalz.co.jp)

## Bellows suction cups (round)

SPB4f 40 SI-55 G3/8-AG

Part no.: 10.01.06.03546

<https://www.schmalz.co.jp/10.01.06.03546>



**SC 080 G3/8-AG**

Part no.: 10.01.06.02593

Connection geometry: 080

Vacuum connection: G3/8"-M

Length L1: 32 mm

Fitting length: 7.5 mm

Nominal diameter dn: 10.3 mm



**SPB4f 40 SI-55 SC080**

Part no.: 10.01.06.03265

Size: 40

Suction cup material: Silicone SI

Material hardness [Shore A]: 55 Shore A

Number of folds: 4.5

### Contact Schmalz

Schmalz K.K. | 3001-7 Odana-cho, Tsuzuki-ku, 224-0027 Yokohama, Japan | +81 45 565 5150 | [schmalz@schmalz.co.jp](mailto:schmalz@schmalz.co.jp)